



Synchrony Series Specifications



Available in Dark Cherry or Black Ash Wood Veneer.

Synchrony Series



	Synchrony One Tower	Synchrony Two Tower	Synchrony One B Bookshelf	Synchrony Two B Bookshelf	Synchrony One C Centre	Synchrony Two C Centre	Synchrony S Surround
Frequency Response (Anechoic Chamber)							
On Axis @ 0°±3dB	30-23,000Hz	34-23,000Hz	45-23,000Hz	50-23,000Hz	48-23,000Hz	45-23,000Hz	62-23,000Hz
On Axis @ 0°±1 1/2dB	33-20,000Hz	36-20,000Hz	47-20,000Hz	53-20,000Hz	50-20,000Hz	47-20,000Hz	65-20,000Hz
Off Axis @ 30°±1 1/2dB	33-10,000Hz	36-10,000Hz	47-10,000Hz	53-10,000Hz	50-10,000Hz	47-10,000Hz	65-10,000Hz
LF Cutoff -10dB	24Hz	29Hz	38Hz	40Hz	40Hz	42Hz	55Hz
Sensitivity (1W (2.83V) @ 1M, IEC-Filtered pink noise, C-weighted)							
Anechoic Chamber	88dB	88dB	86dB	86dB	88dB	87dB	86dB
Listening Room	90dB	90dB	88dB	88dB	90dB	89dB	88dB
Impedance							
Nominal	4 Ohms	4 Ohms	6 Ohms	6 Ohms	6 Ohms	6 Ohms	6 Ohms
Minimum	4 Ohms	4 Ohms	4 Ohms	4 Ohms	4 Ohms	4 Ohms	4 Ohms Bipole/Dipole
Input Power (RMS, Clipping <10% Time)							
Recommended Program	20 - 300 Watts 300 Watts	20 - 300 Watts 300 Watts	15 - 150 Watts 150 Watts	15 - 150 Watts 150 Watts	15 - 200 Watts 200 Watts	15 - 200 Watts 200 Watts	15 - 150 Watts 150 Watts
Acoustic Design							
Tweeter (Nominal)	1" (25mm) Titanium Dome with Ferrofluid Neodymium Magnet	1" (25mm) Titanium Dome with Ferrofluid Neodymium Magnet	1" (25mm) Titanium Dome with Ferrofluid Neodymium Magnet	1" (25mm) Titanium Dome with Ferrofluid Neodymium Magnet	1" (25mm) Titanium Dome with Ferrofluid Neodymium Magnet	1" (25mm) Titanium Dome with Ferrofluid Neodymium Magnet	2 x 1" (25mm) Titanium Dome with Ferrofluid Neodymium Magnet
Midrange (Nominal)	4" (102mm) Dual Layer Fine Weave Fibreglass Natural Fibre Cone Rubber Surround				4" (102mm) Dual Layer Fine Weave Fibreglass Natural Fibre Cone Rubber Surround		
Woofers (Nominal)	3 x 6 1/2" (165mm) Dual Layer Fine Weave Fibreglass Natural Fibre Cone Rubber Surround	3 x 5 1/4" (133mm) Dual Layer Fine Weave Fibreglass Natural Fibre Cone Rubber Surround	6 1/2" (165mm) Dual Layer Fine Weave Fibreglass Natural Fibre Cone Rubber Surround	5 1/4" (133mm) Dual Layer Fine Weave Fibreglass Natural Fibre Cone Rubber Surround	2 x 6 1/2" (165mm) Dual Layer Fine Weave Fibreglass Natural Fibre Cone Rubber Surround	2 x 5 1/4" (133mm) Dual Layer Fine Weave Fibreglass Natural Fibre Cone Rubber Surround	2 x 5 1/4" (133mm) Dual Layer Fine Weave Fibreglass Natural Fibre Cone Rubber Surround
Crossover	2,200Hz, LR4, 500Hz	2,200Hz, LR4	2,200Hz, LR4	2,200Hz, LR4	2,200Hz, LR4, 500Hz	2,200Hz, LR4	2,200Hz, LR4
Internal Volume	2.35 cu ft (67L)	1.8 cu ft (51L)	0.75 cu ft (21L)	0.6 cu ft (17L)	1.25 cu ft (35L)	0.9 cu ft (25L)	0.8 cu ft (23L)
Design Type	Triple Port Bass Reflex	Triple Port Bass Reflex	Bass Reflex	Bass Reflex	Bass Reflex	Bass Reflex	Sealed
Size (W x H x D) (Gross Dimensions)							
	9 x 43 x 13" * 228 x 1092 x 328mm	7 5/8 x 39 1/4 x 11" * 192 x 994 x 279mm	8 3/4 x 14 3/8 x 12 7/8" * 220 x 364 x 326mm	7 1/4 x 13 3/8 x 10 7/8" * 184 x 338 x 275mm	24 1/4 x 8 3/4 x 12 7/8" * 614 x 220 x 326mm	18 1/8 x 7 1/4 x 10 7/8" * 458 x 184 x 275mm	11 1/8 x 13 1/4 x 7 3/4" * 280 x 334 x 196mm
Weight							
Net	61lb (27.7kg)/each	46lb (20.9kg)/each	22lb (10kg)/each	15.6lb (7.1kg)/each	37lb (16.8kg)/each	22lb (10kg)/each	20lb (9.1kg)/each
Shipping	76.8lb (34.9kg)/each	55.8lb (25.4kg)/each	49.3lb (22.4kg)/pair	36.2lb (16.5kg)/pair	43.5lb (19.8kg)/each	29lb (13.2kg)/each	45.7lb (20.8kg)/pair
Finish							
	Black Ash or Dark Cherry Wood Veneer	Black Ash or Dark Cherry Wood Veneer	Black Ash or Dark Cherry Wood Veneer	Black Ash or Dark Cherry Wood Veneer	Black Ash or Dark Cherry Wood Veneer	Black Ash or Dark Cherry Wood Veneer	Black Ash or Dark Cherry Wood Veneer

*Non-metric measurements are approximate.

All specifications are subject to change without notice. Non-metric measurements are approximate. PSB Speakers will not assume any liability for errors in this brochure which may result in errors being made by retailers, custom installers, cabinet makers or other end users based on information contained in this document. PSB Speakers reserves the right to change specifications or features without notice. © 2013 PSB Speakers, a division of Lenbrook Industries Limited. PSB is a registered trademark of Lenbrook Industries Limited. All rights reserved. No part of this publication may be reproduced, stored or transmitted in any form whatsoever without the written permission of PSB Speakers. 13-014 Printed January 2013.